New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Bergen County Residents

-	a	Adult/Adolescent *	Pediat		Total
⊥.	Current HIV/AIDS Category	Cases %	Cases	% 	Cases %
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 433 34 # #	# O #	# O #	327 25 433 34 523 41
	Total	1273 100	10	100	1283 100
2.	Current Age * Cases %	3. Race/Eth.	Cases	Adl* Pediatri	Cases %
	<5 # # 5-12 9 1 13-19 10 1 20-29 53 4	White, Not Hisp Black, Not Hisp Hispanic Other/Unknown	anic #	# # # # # # # # #	691 54 343 27 204 16 45 4
	30-39 302 24 40-49 566 44 50+ 342 27 Unk. # #	Total	1273		
	Total 1283 100				
4.	Patient Group	Ad	ult/Adolescer	nt Transmission	Modes **
		Males		Females %	Total %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	380 197 35 88 188	43 22 4	0 0 100 27 0 0 162 44 110 30	380 30 297 24 35 3 250 20 298 24
	Total	888	100	372 100	1260 100
		Males	%	Transmission M Females %	Total %
	Parent at risk/has AIDS/HIV Risk not reported/other***	 5 #	63 #	14 93 # #	19 83 # #
	Total	8	100	15 100	23 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2003.
- ** 13 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Bergen County Residents

Adult/Adolescent*

Total

1.	Disease Ca	ategory	Cases	(%)	Deaths (%)	Cases	(%)	Death	s (%)	Cases	(%)	Deaths (%)
	PCP Other OI w KS Alone No Disease			, ,	536 (79) 465 (74) 46 (84) 197 (31)		. ,	6 0	,	690 644 55 630	(32)	545 (79) 471 (73) 46 (84) 197 (31)
	Total		199	5 (100)	1244 (62)	24	(100)	15	(63)	2019	(100)	1259 (62)
2.	Age *	Cases	%	3. Race/	Eth.	Adult/A Cases		Pediatr Cases	ic* %	Total Cases	용	
	Under 5	12	1	White	, Not Hispanic	1256	63	10	42	126	6 63	
	5-12	12	1	Black	, Not Hispanic	471	24	9	38	48	24	
	13-19	9	0	Hispa	nic	#	#	#	#	24	7 12	
	20-29	267	13	Other	/Unknown	#	#	#	#	2	6 1	
	30-39	875	43									

1995 100

Pediatric*

24 100

Total

2019 100

Λ	Patient	Croun

40-49

Over 49 Unknown

Total

. Patient Group	Adult/Adolescent Transmission Modes **									
	Males	용	Females % Total	96						
				-						
Men sex with men (MSM)	691	45	0 0 691 35	5						
Injection drug user (IDU)	450	29	166 37 616 33	1						
MSM/IDU	61	4	0 0 61 3	3						
Heterosexual contact	99	6	187 41 286 14	4						
Risk not reported/other***	239	16	99 22 338 1	7						
				-						
Total	1540	100	452 100 1992 100	C						

	Pediatric Transmission Modes							
	Males	%	Females %	Total	%			
Parent at risk/has AIDS/HIV	6	50	14 93	20	74			
Risk not reported/other***	6	50	# #	7	26			
Total	12	100	15 100	27	100			

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

574 28

270 13 0 0

2019 100

Classification at time of AIDS diagnosis.

^{** 3} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Bergen County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	42	41	98%
1985	54	50	93%
1986	69	63	91%
1987	97	91	94%
1988	96	91	95%
1989	114	109	96%
1990	118	104	88%
1991	136	119	88%
1992	143	117	82%
1993	209	136	65%
1994	193	108	56%
1995	160	84	53%
1996	124	37	30%
1997	108	36	33%
1998	54	16	30%
1999	79	22	28%
2000	79	15	19%
2001	57	12	21%
2002	46	6	13%
2003	41	#	#
Total	2019	1259	62%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Bergen County Residents

Cases	%	2. Race/Ethnicity			Pediat Cases	ric*	Total Cases	%
10	2	White, Not Hispanic	309	54	5	36	314	54
#	#	Black, Not Hispanic	#	#	#	#	160	27
#	#	Hispanic	#	#	#	#	83	14
136	23	Other/Unknown	#	#	#	#	29	5
225	38							
156	27	Total	572	100	14	100	586	100
47	8							
0	0							
586	100							
	10 # 136 225 156 47	10 2 # # # # 136 23 225 38 156 27 47 8	10 2 White, Not Hispanic # # Black, Not Hispanic Hispanic 136 23 Other/Unknown 225 38 156 27 Total 47 8 0 0	Cases % 2. Race/Ethnicity Cases	10 2 White, Not Hispanic 309 54 # # Black, Not Hispanic # # # Hispanic # # 136 23 Other/Unknown # # 225 38 156 27 Total 572 100 47 8 0 0	Cases % 2. Race/Ethnicity Cases % Cases	Cases % 2. Race/Ethnicity Cases % Cases % 10 2 White, Not Hispanic 309 54 5 36 # # Black, Not Hispanic # <td>Cases % 2. Race/Ethnicity Cases % Cases % Cases 10 2 White, Not Hispanic 309 54 5 36 314 # # Black, Not Hispanic # # # 160 # # # # # 83 136 23 Other/Unknown # # # # 29 225 38 </td>	Cases % 2. Race/Ethnicity Cases % Cases % Cases 10 2 White, Not Hispanic 309 54 5 36 314 # # Black, Not Hispanic # # # 160 # # # # # 83 136 23 Other/Unknown # # # # 29 225 38

. Patient Group	Adult/Adolescent Transmission Modes **											
-	Males	%	Females	%	Total	%						
Men sex with men (MSM)	146	39	0	0	146	26						
Injection drug user (IDU)	85	22	64	33	149	26						
MSM/IDU	21	6	0	0	21	4						
Heterosexual contact	33	9	76	39	109	19						
Risk not reported/other***	94	25	53	27	147	26						
Total	379	100	193	100	572	100						
		Pedia [.]	tric Transmis	sion Mo	des							
	Males	%	Females	ଚ	Total	%						
Parent at risk/has AIDS/HIV		100	8	100	14	100						
Risk not reported/other***	0	0	0	0	0	0						
Total		100	8	100	14	100						

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Bergen County Residents

1.	Current HI	:V/AIDS Ca				S	escent * %	Ca	se	liatr s	ic * %		Cas	Total ses	L او	
	AIDS-Any C AIDS-CD4 C HIV Only)I Only			136	3 # #	53		2	- 6 # #	63 # #		13 6 5	889 30	53 24 22	
	Total				256		100			1				505	100	
2.	Age *			3.				Adult Cases		%	Cas	ses	ric*		Cases	otal %
	Under 5 5-12 13-19 20-29	16 23 494	1 1 1 19		Hispan.	Not Not ic Unkn	Hispanic Hispanic own	156 62 32	2 7 2 #	61 24 13 #		13 8	44 32 20 #		1580 640 330 55	25 13 2
	30-39 40-49 Over 49 Unknown	1088 660 299 0	25 11 0		Total			256					100		2605	
4.	Total Patient Gr		100				Ad		es							
							Males				emales			Total		
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user al contact eported/c	ther***				82 132	28 4 7 17			0 230 0 263 152	0 41 24		765 82 395	7 33 5 30 2 3 5 15 5 19	
	Total						1919				645			2564		
							Males	%	tr	F	ransmis emales	%		Total		
	Parent at Risk not r	risk/has eported/c	AIDS/HI ther***				12 6	67 33				96 #		34	4 83 7 17	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

Total

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

18 100 23 100 41 100

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Bergen County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	48	44	92%
1985	73	63	86%
1986	93	83	89%
1987	133	109	82%
1988	155	123	79%
1989	169	139	82%
1990	194	149	77%
1991	194	137	71%
1992	203	117	58%
1993	182	86	47%
1994	173	78	45%
1995	178	69	39%
1996	150	31	21%
1997	135	32	24%
1998	95	11	12%
1999	103	19	18%
2000	114	14	12%
2001	86	11	13%
2002	78	6	8%
2003	49	#	#
Total	2605	1322	51%